"Designing simple things is often one of the hardest things to do. We wanted to create a simple lamp with a glass shape, giving it a soft expression while making its top and pendant tube as subtle as possible. We were inspired by the shape of acorns for the gentle lines of the pendant while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for the light to shine slightly through with a refined touch."



— TAF Studio

Designed by TAF Studio

About the Designer TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson

and Mattias Ståhlbom. The duo works within product and interior design.

Environment Indoor

Country of Production Poland

Preassembled Yes.

Description The Rime Pendant Lamp offers an elegant take on the classic glass pendant with its semi-

transparent, sandblasted glass, creating a refined, soft glow. Its distinctive acorn-inspired shape is complemented by a powder-coated top, with a matching pendant tube and cord for a harmonious look. Available in a variety of colors and sizes, the design can be used individually or arranged in linear formations or playful clusters to create a modern chandelier, adding a sophisticated touch to

any space.

Material Mouthblown glass shade that has been sandblasted. Aluminum, powder coated top-piece and

pendant tube. PVC cord.

Cleaning & Care Clean with a dry cloth. Always switch off electricity supply before cleaning.

Cord Length 400 cm / 157.5"

 $\begin{tabular}{ll} \textbf{Light Source Included} & \varnothing \ 12 \ cm, \varnothing \ 18 \ cm; \ Yes. \end{tabular}$

Ø 25 cm, Ø 37 cm, Ø 45 cm: No.

 $\textbf{Ceiling Cap Included} \hspace{1cm} \varnothing \hspace{1cm} 12 \hspace{1cm} \text{cm}, \hspace{1cm} \varnothing \hspace{1cm} 18 \hspace{1cm} \text{cm}, \hspace{1cm} \varnothing \hspace{1cm} 25 \hspace{1cm} \text{cm}, \hspace{1cm} \varnothing \hspace{1cm} 37 \hspace{1cm} \text{cm}, \hspace{1cm} \varnothing \hspace{1cm} 45 \hspace{1cm} \text{cm} : \hspace{1cm} Yes.$

Dimmable Function Yes.

Additional Information The Rime Pendant Lamp is made in a unique semi-transparent glass that has been sandblasted.

Included in the box with the Rime Pendant Lamp is a set of gloves that we recommend worn when mounting the design to care for the unique surface of the material. If the gloves are not worn when

mounting the design, fingerprints might be seen on the surface of the design.

TRIAC dimmer for Ø12* & Ø18*.
*not available in North America.



Dimensions

Ø 12 cm

 Length:
 12 cm / 4.7"

 Height:
 15 cm / 5.9"

 Width:
 12 cm / 4.7"

 Diameter:
 12 cm / 4.7"

 Cord Length:
 400 cm / 157.5"

_ | H

Ø 18 cm

 Length:
 18 cm / 7.1"

 Height:
 22 cm / 8.7"

 Width:
 18 cm / 7.1"

 Diameter:
 18 cm / 7.1"

 Cord Length:
 400 cm / 157.5"

|

Ø 25 cm

 Length:
 25 cm / 9.8"

 Height:
 30 cm / 11.8"

 Width:
 25 cm / 9.8"

 Diameter:
 25 cm / 9.8"

 Cord Length:
 400 cm / 157.5"



Ø 37 cm

 Length:
 37 cm / 14.6"

 Height:
 45,5 cm / 17.9"

 Width:
 37 cm / 14.6"

 Diameter:
 37 cm / 14.6"

 Cord Length:
 400 cm / 157.5"



Ø 45 cm

 Length:
 45 cm / 17.7"

 Height:
 55,5 cm / 21.9"

 Width:
 45 cm / 17.7"

 Diameter:
 45 cm / 17.7"

 Cord Length:
 400 cm / 157.5"



Ready-to-Ship

White Black Grey Orange Deep Red



Lamp Rating

Voltage Frequency IP Rating Classification Socket Ø 12 cm 220 - 240V 50/60Hz IP20 Class II 1 x G9 Max. 25W Ø 18 cm 220-240V 50/60Hz IP20 Class II 1 x G9 Max. 25W Ø 25 cm 220 - 240V 50/60Hz IP20 Class II 1 x E14 Max. 40W Ø 37 cm 220 - 240V 50/60Hz IP20 Class I 1 x E27 Max. 60W

 Ø 45 cm

 Voltage
 220 - 240 V

 Frequency
 50/60 Hz

 IP Rating
 IP20

 Classification
 Class I

 Socket
 1 x E27 Max. 60 W

Light Source Recommendation

 Ø 25 cm
 Ø 37 cm
 Ø 45 cm

 Lamp Base
 E14
 E27
 E27

 Dimensions
 Ø45 x 80 mm
 Ø60 x 110 mm
 Ø77 x 145 mm

 Light Source Shape
 P45
 A60
 A67


LED with opal or frosted LED with opal or frosted diffuser diffuser LED with opal or frosted

diffuser diffuser diffuser Max. 40W Max. 60W Max. 60W

Light Source Specification

Ø 12 cm Ø 18 cm ltem G9 LED LED bulb 3W 3W Watt 200 lm 200 lm Lumen 20.000h 20.000h Lumen Maintenance Kelvin 2.700K 2.700K CRI 90 Dimmable Yes Yes

Energy Label





Tests, Labels δ Certifications

Electromagnetic Compatibilty

Electromagnetic Compatibility (EMC)

Safety & Regulations

ECO Design Directive

Low Voltage Directive 2014/35 EU (LVD)

REACH

Regulatory Compliance Mark (RCM)

Restriction of Hazardous Substances Directive (RoHs)
Waste of Electronic and Electrical Equipment (WEEE)













Explore Assets

DOWNLOAD SITE

