

NILS

Designer

Didier Gomez



PRODUCTS

MEDIUM SETTEE



Dimensions

Height 850 mm
Width 1,820 mm
Depth 1,020 mm
Seat height 385 mm
Weight 80 kg
Seats 2 places

LARGE SETTEE



Dimensions

Height 850 mm
Width 2,340 mm
Depth 1,020 mm
Seat height 385 mm
Weight 90 kg
Seats 3 places

COMPOSITION A



Dimensions

Height 850 mm
Width 3,160 mm
Depth 1,020 mm
Seat height 385 mm

COMPOSITION B



Dimensions

Height 850 mm
Width 4,160 mm
Depth 1,020 mm
Seat height 385 mm

COMPOSITION C



Dimensions

Height 850 mm
Width 2,600 mm
Depth 2,480 mm
Seat height 385 mm

COMPOSITION D



Dimensions

Height 850 mm
Width 2,600 mm
Depth 1,580 mm
Seat height 385 mm

COMPOSITION E



Dimensions

Height 850 mm
Width 2,600 mm
Depth 2,980 mm
Seat height 385 mm

COMPOSITION F



Dimensions

Height 850 mm
Width 2,600 mm
Depth 2,080 mm
Seat height 385 mm

COMPOSITION G



Dimensions

Height 850 mm
Width 3,100 mm
Depth 2,480 mm
Seat height 385 mm

COMPOSITION H



Dimensions

Height 850 mm
Width 3,100 mm
Depth 1,580 mm
Seat height 385 mm

COMPOSITION I



Dimensions

Height 850 mm
Width 3,100 mm
Depth 2,980 mm
Seat height 385 mm

COMPOSITION J



Dimensions

Height 850 mm
Width 3,100 mm
Depth 2,080 mm
Seat height 385 mm

COMPOSITION K



Dimensions

Height 850 mm
Width 2,600 mm
Depth 2,360 mm
Seat height 385 mm

COMPOSITION L



Dimensions

Height 850 mm
Width 2,600 mm
Depth 2,360 mm
Seat height 385 mm

COMPOSITION M



Dimensions

Height 850 mm
Width 3,100 mm
Depth 2,360 mm
Seat height 385 mm

COMPOSITION N



Dimensions

Height 850 mm
Width 3,100 mm
Depth 2,360 mm
Seat height 385 mm

COMPOSITION O



Dimensions

Height 850 mm
Width 2,640 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION P



Dimensions

Height 850 mm
Width 2,640 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION Q



Dimensions

Height 850 mm
Width 3,140 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION R



Dimensions

Height 850 mm
Width 3,140 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION S



Dimensions

Height 850 mm
Width 2,920 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION T



Dimensions

Height 850 mm
Width 2,920 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION U



Dimensions

Height 850 mm
Width 3,420 mm
Depth 1,750 mm
Seat height 385 mm

COMPOSITION V



Dimensions

Height 850 mm
Width 3,420 mm
Depth 1,750 mm
Seat height 385 mm

Technical characteristics

CONSTRUCTION

3-layer laminated particleboard and panels of multi-ply clad in polyether foam and high resilience polyurethane Bultex foam. The entire structure is then clad in 300 g/m² polyester quilting.

COMFORT

Suspension of seat via blocks of biconical Bonnell springs made from steel wire and linked together. Integral seat cushions in high resilience polyurethane Bultex foam 36 kg/m³ - 2.8 kPa with Bultex comfort layer 38 kg/m³ - 2.3 kPa. To guarantee longevity and optimise comfort, each seat place is reinforced with high resilience polyurethane foam 50 kg/m³ - 6.3 kPa to the front and Bultex foam 42 kg/m³ - 4.8 kPa on each side. Upper and front faces of seat cushion are clad in high resilience polyurethane Bultex foam and 300 g/m² polyester quilting. Suspension of backrest in Bultex foam 36 kg/m³ - 2.8 kPa and high resilience polyurethane foam 50 kg/m³ - 6.3 kPa. Back cushions are compartmented and filled with new goose feathers. The front and rear edges of each armrest - also clad in high resilience polyurethane Bultex foam and polyester quilting - are reinforced in a similar way.

MAKING-UP

A sophisticated association of 3 types of stitching : simple and edge-to-edge stitching for the structures, twin-needle stitching for the back cushions. Covers are fully removable (NB except where structure is in leather or microfibre). Seat platforms, back and armrests may be easily taken apart (to facilitate delivery or removal, if necessary).

COVERING MATERIALS

Fabrics and leathers. Heavy cloths and chenilles work particularly well.